

**NATIONAL INSTITUTE OF TECHNOLOGY PATNA**  
**B.Tech Spring (Even) Semester Examination, May- 2008**

EEUG-2

59

Sl	Roll No.	Enrollment No.	CE 1201			CH 1201			HS 1202			MA 1202			ME 1201			ME 1203			26	Eamed Credit Point	SGPA	Eamed Credit	Status
			Engineering Mechanics			Engineering Chemistry			Behaviour and Industrial Psychology			Mathematics-II			Elements of Mechanical Engineering			Workshop							
			L-T-P	CR		L-T-P	CR		L-T-P	CR		L-T-P	CR		L-T-P	CR		L-T-P	CR						
			3-0-3	5		3-0-3	5		3-0-0	3		3-1-0	4		3-0-3	5		2-0-3	4						
Total % Marks	Grade	Credit Point	Total % Marks	Grade	Credit Point	Total % Marks	Grade	Credit Point	Total % Marks	Grade	Credit Point	Total % Marks	Grade	Credit Point	Total % Marks	Grade	Credit Point	Total % Marks	Grade	Credit Point					
1	201/07	70814	75.2	B	40	73	B	40	65	C	21	76	B	32	75.2	B	40	81	A	36	209	8.04	26	Pass	
2	203/07	70779	83.4	A	45	75.2	B	40	76	B	24	81	A	36	78	B	40	81.5	A	36	221	8.5	26	Pass	
3	204/07	70975	61.4	C	35	42.6	F*	0	49.2	P	15	28.4	F*	0	50	F*	0	68.8	C	28	78	3	12	Backlog	
4	205/07	70988	67.2	C	35	54.6	D	30	63.9	C	21	60.4	C	28	62.5	C	35	68.4	C	28	177	6.81	26	Pass	
5	206/07	70940	69.2	C	35	85.8	A	45	78.6	B	24	67.5	C	28	84.5	A	45	78.5	B	32	209	8.04	26	Pass	
6	207/07	70791	68.2	C	35	64.3	C	35	63.4	C	21	81	A	36	73.4	B	40	78	B	32	199	7.65	26	Pass	
7	209/07	70813	75.2	B	40	66.3	C	35	68.2	C	21	89.5	A	36	76.8	B	40	81	A	36	208	8	26	Pass	
8	210/07	70795	78.5	B	40	73.1	B	40	70.9	B	24	97	A+	40	79.8	B	40	79	B	32	216	8.31	26	Pass	
9	211/07	71061	65.3	C	35	54.8	D	30	67.6	C	21	46.9	P	20	57.8	D	30	72.4	B	32	168	6.46	26	Pass	
10	213/07	71048	69.2	C	35	60.6	C	35	66.6	C	21	52.4	D	24	74.9	B	40	81	A	36	191	7.35	26	Pass	
11	214/07	70817	75.1	B	40	64.8	C	35	55.6	D	18	86	A	36	71.8	B	40	73	B	32	201	7.73	26	Pass	
12	215/07	70977	68.2	C	35	64.6	C	35	61.8	C	21	68	C	28	70.8	B	40	73	B	32	191	7.35	26	Pass	
13	216/07	70953	70.7	B	40	60.6	C	35	52.6	D	18	57	D	24	65.6	C	35	79.1	B	32	184	7.08	26	Pass	
14	217/07	70793	75.1	B	40	68.3	C	35	66.2	C	21	88.5	A	36	79	B	40	76.5	B	32	204	7.85	26	Pass	
15	218/07	71040	63.1	C	35	62.5	C	35	68.6	C	21	54.9	D	24	70.5	B	40	71.6	B	32	187	7.19	26	Pass	
16	219/07	70810	75.6	B	40	71.3	B	40	66.6	C	21	87.5	A	36	70.8	B	40	73	B	32	209	8.04	26	Pass	
17	221/07	70789	75.8	B	40	72	B	40	59.9	D	18	83.5	A	36	74.2	B	40	77	B	32	206	7.92	26	Pass	
18	222/07	70818	72.5	B	40	71.4	B	40	57.6	D	18	90	A+	40	75.2	B	40	71.5	B	32	210	8.08	26	Pass	
19	223/06	71070	60.5	C	35	54.4	D	30	50.1	D	18	44	P	20	52.3	D	30	73.4	B	32	165	6.35	26	Pass	
20	223/07	70776	70.7	B	40	71.4	B	40	69.4	C	21	84.5	A	36	79.4	B	40	82.6	A	36	213	8.19	26	Pass	
21	224/07	70995	75.4	B	40	69.6	C	35	68.6	C	21	84.5	A	36	79.6	B	40	75	B	32	204	7.85	26	Pass	
22	225/07	70792	73	B	40	61.3	C	35	58.6	D	18	72.7	B	32	72.8	B	40	79.1	B	32	197	7.58	26	Pass	
23	226/07	71006	69.3	C	35	69	C	35	68.6	C	21	48	P	20	79.2	B	40	83	A	36	187	7.19	26	Pass	
24	227/07	70794	90.1	A+	50	69.7	C	35	69.6	C	21	93.5	A+	40	78.8	B	40	77.1	B	32	218	8.38	26	Pass	
25	229/07	70808	83	A	45	70.8	B	40	69.2	C	21	80	A	36	76.6	B	40	80	A	36	218	8.38	26	Pass	
26	230/07	70811	75.2	B	40	71.6	B	40	59.6	D	18	90.5	A+	40	75.9	B	40	75	B	32	210	8.08	26	Pass	
27	232/07	71056	64.1	C	35	64.4	C	35	64.9	C	21	66	C	28	71.8	B	40	79	B	32	191	7.35	26	Pass	
28	233/07	71047	69.8	C	35	60.6	C	35	62.9	C	21	60.5	C	28	67	C	35	75.5	B	32	186	7.15	26	Pass	
29	234/06	71075	66.9	C	35	56.9	D	30	52.6	D	18	41.7	P	20	66.6	C	35	76.3	B	32	170	6.54	26	Pass	
30	235/07	71020	75.2	B	40	63.3	C	35	62.9	C	21	67.5	C	28	67.6	C	35	74	B	32	191	7.35	26	Pass	
31	236/07	70805	81.6	A	45	69.6	C	35	62.6	C	21	85.5	A	36	74.8	B	40	74	B	32	209	8.04	26	Pass	
32	237/07	70876	72.1	B	40	64.8	C	35	64.5	C	21	86	A	36	66.8	C	35	77	B	32	199	7.65	26	Pass	
33	239/07	71038	65.7	C	35	60.5	C	35	72.6	B	24	59.9	D	24	71.1	B	40	78	B	32	190	7.31	26	Pass	
34	240/07	71012	72.7	B	40	64.7	C	35	69.6	C	21	77.4	B	32	64.9	C	35	73.6	B	32	195	7.5	26	Pass	
35	241/07	70980	70.7	B	40	63.3	C	35	63.6	C	21	61.5	C	28	71.8	B	40	77.5	B	32	196	7.54	26	Pass	
36	243/07	70802	76.3	B	40	68.4	C	35	70.1	B	24	92	A+	40	76.8	B	40	75.1	B	32	211	8.12	26	Pass	
37	244/07	70804	73.8	B	40	71.8	B	40	73.9	B	24	75.5	B	32	78.2	B	40	88	A	36	212	8.15	26	Pass	
38	245/07	70780	76.5	B	40	60	C	35	58.1	D	18	80.5	A	36	66.3	C	35	80.4	A	36	200	7.69	26	Pass	
39	246/07	70919	82.2	A	45	74.6	B	40	74.6	B	24	90	A+	40	88.8	A	45	82	A	36	230	8.85	26	Pass	
40	247/07	70803	78.2	B	40	67.9	C	35	59.2	D	18	92	A+	40	81.2	A	45	72.5	B	32	210	8.08	26	Pass	
41	249/07	70819	72.3	B	40	76	B	40	63	C	21	72.5	B	32	77.6	B	40	80.5	A	36	209	8.04	26	Pass	
42	250/07	70824	75.2	B	40	60.6	C	35	64.7	C	21	66.5	C	28	63.9	C	35	69.9	C	28	187	7.19	26	Pass	
43	251/07	70903	68.4	C	35	71.1	B	40	78.6	B	24	78.4	B	32	76.1	B	40	80.6	A	36	207	7.96	26	Pass	
44	252/07	70826	79.7	B	40	75.4	B	40	73.8	B	24	89.5	A	36	78.4	B	40	80.5	A	36	216	8.31	26	Pass	
45	253/07	70829	75.9	B	40	70.8	B	40	71.4	B	24	86.5	A	36	79.4	B	40	79	B	32	212	8.15	26	Pass	
46	254/07	70915	73.4	B	40	62.1	C	35	69.6	C	21	75.1	B	32	69.5	C	35	74.7	B	32	195	7.5	26	Pass	
47	255/07	71003	76.4	B	40	70.8	B	40	71.6	B	24	90	A+	40	77.7	B	40	73.5	B	32	216	8.31	26	Pass	
48	256/07	70997	64.3	C	35	59.7	D	30	66.6	C	21	68	C	28	64.5	C	35	75	B	32	181	6.96	26	Pass	
49	259/07	70934	70.4	B	40	67	C	35	62.6	C	21	59.5	D	24	71.2	B	40	75.5	B	32	192	7.38	26	Pass	
50	260/07	70755	77.2	B	40	83.3	A	45	75.7	B	24	88.5	A	36	78.6	B	40	80.5	A	36	221	8.5	26	Pass	
51	261/07	70874	64	C	35	73.4	B	40	61.5	C	21	51	D	24	66.2	C	35	64.5	C	28	183	7.04	26	Pass	
52	263/07	71026	69	C	35	62.7	C	35	63.6	C	21	58.5	D	24	68.2	C	35	74.4	B	32	182	7	26	Pass	
53	264/07	71001	62.2	C	35	46.5	F*	0	66.4	C	21	34.9	F*	0	50.3	D	30	74	B	32	118	4.54	17	Backlog	
54	265/06	71083	67.9	C	35	51.7	D	30	70.6	B	24	37.9	P	20	66.6	C	35	75.7	B	32	176	6.77	26	Pass	
55	266/07	70973	69.8	C	35	75.5	B	40	69.1	C	21	55.5	D	24	75.7	B	40	74	B	32	192	7.38	26	Pass	
56	267/07	70958	69.4	C	35	67.6	C	35	60.6	C	21	84	A	36	75.6	B	40	74.5	B	32	199	7.65	26	Pass	
57	268/07	70853	80.4	A	45	66.6	C	35	64.6	C	21	80.5	A	36	75.4	B	40	80.6	A	36	213	8.19	26	Pass	
58	269/07	70998	66.8	C	35	65.7	C	35	59.8	D	18	72.5	B	32	68.4	C	35	76.9	B	32	187	7.19	26	Pass	
59	271/07	70849	76.1	B	40	76.2	B	40	72.6	B	24	83.5	A	36	86	A	45	80.5	A	36	221	8.5	26	Pass	

Tabulator - I

Tabulator - II

Performance Evaluation Committee

Director  
NIT Patna